

# Ribbon Coin Fobs

by Sherry Titzer - <http://www.atimetostitch.com>

## Supplies:

WASH AWAY stabilizer

Fabric (see text file for cutting instructions) Starch fabric until nice & crisp for easier trimming!


Eazy Felt (see text file for cutting instructions) May substitute with Timtex or Peltex

1/2" or 5/8" button snap


Grosgrain ribbon




1. Hoop stabilizer in hoop. Initial outline is stitched on stabilizer only (also stitches placement lines for pocket placement & small rectangle for ribbon placement).



2. Flip hoop over and extend the short placement lines on each side by marking lines directly on the stabilizer.



3. With hoop flipped over, center easy felt inside outline, tape at corners. Then place fabric over the felt evenly over the main outline. Tape corners, put hoop on machine.



4. Flip hoop to right side. Place raw edges of prepared ribbon inside stitched rectangle on left side. Tape in place.



5. Center fabric over outline, tape at corners. Continue stitching design following the directions in the text files provided with your designs.



6. When design complete, remove hoop & trim fabric/felt close to outline stitches on BOTH sides of hoop. Be careful - DO NOT cut into ribbon loop when trimming!



7. On back side of hoop, add the two pockets using the marked placement lines at sides as your guide. Tape pockets along the edges, put hoop on machine.



8. The next step in the design tacks the pockets under the hoop in place.



9. Remove hoop & flip over. Trim pockets close to outline stitches. Put hoop back on machine.



10. Last step stitches satin edge around fob. Trim stabilizer close to edge. Rub warm wet rag along edge to dissolve any remaining stabilizer.



9. Add button part of snap to top of coin fob using the small stitched circle as your placement guide.



10. Fold top over at stitched fold lines, finger press to crease. Paint "ball" tip of snap with "white out" & fold over to transfer "white out" dot to pocket.



11. Add other snap piece centered over the “white out” mark on the pocket.

12. This picture shows both pieces of the snap properly installed on the coin fob.



**Coin fob Front**



**Coin Fob back**



**Insert a key ring on the ribbon loop and you're finished!**